



Inspection Report

Zootastic Of Lake Norman Inc
448 Pilch Road
Troutman, NC 28166

Customer ID: **44266**

Certificate: **55-C-0272**

Site: 001

ZOOTASTIC OF LAKE NORMAN INC

Type: ROUTINE INSPECTION

Date: Sep-10-2014

3.125 (a)

FACILITIES, GENERAL.

Approximately 20 goats were running loose inside the perimeter fence in the public area. They had escaped from their paddock. New fence panels have been purchased to prevent future escapes, but had not been installed yet. Need to ensure that all enclosures are constructed so that animals do not escape and have direct access to public that is not monitored. Correct by September 30, 2014.

3.127 (d)

FACILITIES, OUTDOOR.

In the new drive-thru animal area, there are some gaps under the perimeter fence large enough for dogs to go under, especially near area where mobile homes are near fence. Need to ensure that there are no large gaps under perimeter fence to prevent entrance of dogs, coyotes, etc.. Correct by September 30, 2014.

Perimeter fence next to newly-acquired hyenas is only 6 feet high. Since these are dangerous animals, need to have an 8 foot perimeter fence around the hyenas to prevent escape or entrance of unauthorized persons. Correct by October 10, 2014.

3.128

SPACE REQUIREMENTS.

Two new capybaras had only a child's plastic pool with about 2 inches of water. These are aquatic animals that require a pool that is large enough and deep enough to allow species typical behavior such as submersion. Need to provide an adequate-sized pool. Correct by October 1, 2014.

Exit briefing conducted with facility representative.

Prepared By:

F BINKLEY, D V M

F MIAVA BINKLEY, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1020

Sep-10-2014

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Sep-10-2014