



## Inspection Report

CLAWS N PAWS WILD ANIMAL PARK INC

Customer ID: **2246**

Certificate: **23-C-0013**

Site: 001

CLAWS N PAWS WILD ANIMAL PARK INC

1475 LEDGEDALE RD

Type: ROUTINE INSPECTION

LAKE ARIEL, PA 18436

Date: Jun-15-2011

### 3.127 (d)

#### FACILITIES, OUTDOOR.

Section 3.127(d) Perimeter fence: All outdoor housing facilities (i.e., facilities not entirely indoors) must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Fences less than 8 feet high for potentially dangerous animals, such as, but not limited to, large felines (e.g., lions, tigers, leopards, cougars, etc.), bears, wolves, rhinoceros, and elephants, or less than 6 feet high for other animals must be approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility.

The 8 foot perimeter fence in the back wooded area between the stream reservoir and the stream crossing has been damaged by fallen trees with sections of fencing less than 5 feet in height. The facility started to build a new section of 8 foot perimeter fence behind the damaged fencing but the work was not finished. The facility needs to have a structurally sound 8 foot perimeter fence to protect the animals and to function as a secondary containment system for the animals.

Correct by July 15, 2010.

An exit briefing was conducted with the licensee.

#### Prepared By:

MARY E GEIB, D V M                      USDA, APHIS, Animal Care

**Date:**

**Title:** VETERINARY MEDICAL OFFICER Inspector 1021

Jun-15-2011

#### Received By:

(b)(6), (b)(7)(c)

**Date:**

**Title:**

Jun-15-2011