



Inspection Report

Arbuckle Adventures L L C
Arbuckle Wilderness Park
6132 Kay Starr Trail
Davis, OK 73030

Customer ID: **324698**
Certificate: **73-C-0190**
Site: 001
Arbuckle Adventures

Type: ROUTINE INSPECTION
Date: Jul-28-2015

3.125 (a) **REPEAT**
FACILITIES, GENERAL.

- The enclosure housing the Jacobs sheep has multiple areas which are unsafe. The enclosure fence has a large hole near the gate, apparently caused by the animals stretching the wires. This is an entrapment risk, and must be corrected. The shelter has several gaps, which also contain sharp points or loops of wire. These areas are a potential source of entrapment or injury to the contained animals. All sharp points and loose wires must be eliminated, and all gaps repaired to minimize the risk of injury to the animals.

3.125 (c) **REPEAT**
FACILITIES, GENERAL.

- The feed shed was dirty with an accumulation of spilled feed and other debris between the pallets and the walls. This area needs to be swept and cleaned on a more frequent basis.
- There is a bale of hay being stored on concrete blocks in the maintenance shed. The shed is not an appropriate area for food storage, since it is filled with machinery, chemicals, and various other materials. In addition, the bale of hay has a large spoiled, discolored area in one corner. Spoiled hay is not an appropriate animal feed.

The facility must ensure that feed is properly stored in order to protect it from contamination. Food storage areas must be kept in good condition, and cleaned as frequently as necessary to ensure good quality feed is given to the animals.

3.127 (c)
FACILITIES, OUTDOOR.

- The outdoor enclosure housing a young red kangaroo has a floor that slopes down in the middle, with a drain located at the bottom of the slope. This drain had no cover, leaving an open hole in the middle of the floor. This is a potential source of injury to the enclosed animal. The facility must place an

Prepared By:

MICHAEL TYGART, D.V.M

MICHAEL TYGART, D.V.M USDA, APHIS, Animal Care

Date:
Jul-29-2015

Title:

VETERINARY MEDICAL OFFICER Inspector 6009

Received By:

(b)(6), (b)(7)(c)

Date:
Jul-30-2015

Title:



Inspection Report

appropriate drain cover in this location.
Correct by: 30 July 2015

3.129 (a) **REPEAT**
FEEDING.

- There was no hay present in the Jacob's sheep enclosure. Employees were unclear about when the animals were last given hay, and how much hay they are actually receiving. In the past, the facility was directed to ensure that all grazing animals had access to clean hay at all times. The Jacob's sheep have heavy wool coats, making it difficult to assess body condition without actually capturing the animals. In order to help ensure they are getting enough feed, these animals must be provided access to free choice hay at all times. The facility must consult their attending veterinarian to ensure that the correct type of hay is being given to the animals. There is a written feeding plan provided by the facility attending veterinarian. If the facility chooses to deviate from this written plan, it must be approved in writing by the attending veterinarian.

3.130
WATERING.

- The water receptacle for the Jacobs sheep was extremely dirty. The water was so cloudy inspectors were not able to see the bottom or sides of the receptacle. Animals must have access to clean potable water at all times, but particularly during the hot summer months. Dirty water receptacles increase the contamination of the animals, and may lead to illness or other negative health effects. The facility must clean the water receptacles as often as needed to keep them clean and protect the health of the enclosed animals.
Corrected on the spot.

Inspection and exit interview conducted by Michael Tygart (VMO) and Cathy Niebruegge (ACI) with facility representatives.

Prepared By:	MICHAEL TYGART, D.V.M	
Title:	MICHAEL TYGART, D.V.M VETERINARY MEDICAL OFFICER Inspector 6009	Date: Jul-29-2015
Received By:	(b)(6), (b)(7)(c)	
Title:		Date: Jul-30-2015