



Inspection Report

ZOOVILLE U S A

Customer ID: 11340

Certificate: 58-C-0934

Site: 001

ZOOVILLE USA

4702 COOPER ROAD

Type: ROUTINE INSPECTION

PLANT CITY, FL 33565

Date: May-08-2012

3.125 (a)

FACILITIES, GENERAL.

Sec. 3.125 Facilities, general.

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

****Multiple enclosures (Tiger,lion,hyenas,bear,etc.) had exposed underground wire which may be dangerous to the animals if their paws and/or limb get caught and entangle in the exposed wire.

**** Housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

****To be corrected by 5-30-2012.

3.127 (c)

FACILITIES, OUTDOOR.

Sec. 3.127 Facilities, outdoor.

(c) Drainage. A suitable method shall be provided to rapidly eliminate excess water.

****The hyena enclosure had some areas of water accumulation which may result in bacterial overgrowth and the animals getting sick if they drink this water.

****The method of drainage shall comply with applicable Federal, State, and local laws and regulations relating to pollution control or the protection of the environment.

To be corrected by 5-30-2012.

Prepared By:

LUIS A NAVARRO, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 6025

May-08-2012

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

May-08-2012



Inspection Report

3.130

WATERING.

Sec. 3.130 Watering.

****All water receptacles shall be kept clean and sanitary.

****Multiple water receptacles were observed with algae growing in them and the water was cloudy in color.

****In order to prevent gastrointestinal disease all water receptacles shall be kept clean and sanitary.

****To be corrected by 5-10-2012.

3.131 (a)

SANITATION.

Sec. 3.131 Sanitation.

(a) Cleaning of enclosures. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors.

****Multiple enclosures(Tiger,lion,bear,etc.) were observed with accumulation of excreta and food debris. The excreta was dry and white in color indicating that it had been in the enclosure for more than a day.

****In order to minimize contamination, disease hazards and to reduce odors excreta shall be removed from primary enclosures as often as necessary.

****To be corrected by 5-10-2012.

3.131 (d)

SANITATION.

Sec. 3.131 Sanitation.

(d) Pest control. A safe and effective program for the control of insects, ectoparasites, and avian and mammalian pests shall be established and maintained.

****Rat droppings and paper shred by the rats was observed in the commissary area along with holes in the gypsum board walls made by the rats according to the owner.

****In order to prevent contamination of food and disease hazards a safe and effective program for the control of insects, ectoparasites, and avian and mammalian pests shall be established and maintained.

****To be corrected by 5-15-2012.

3.132

EMPLOYEES.

Sec. 3.132 Employees.

**** A sufficient number of adequately trained employees shall be utilized to maintain the professionally acceptable level of husbandry practices set forth in this subpart.

The number of animals in this facility requires more than 2 people to properly clean every enclosure daily, prepare food and feed the animals, maintain and build enclosures, treat sick animals, give tours,etc.

**** A sufficient number of adequately trained employees shall be utilized to maintain the professionally acceptable level of husbandry.

****To be corrected by 5-30-2012.

Prepared By:

LUIS A NAVARRO, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 6025

May-08-2012

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

May-08-2012



Inspection Report

3.133

SEPARATION.

Sec. 3.133 Separation.

Animals housed in the same primary enclosure must be compatible. Animals shall not be housed near animals that interfere with their health or cause them discomfort.

****The hyenas have bite wounds because the facility is trying to introduce a new member and there is a female in heat.

****In order prevent further injury to the hyena population they should be kept separate. Further injuries may become infected and be a cause of septicemia if this behavioral adaptation continues.

****To be corrected by 5-9-2012.

****An exit interview was conducted with the licensee.

Prepared By:

LUIS A NAVARRO, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 6025

May-08-2012

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

May-08-2012