



Inspection Report

JUNGLE ADVENTURES INC

Customer ID: **3094**

Certificate: **58-C-1048**

Site: 001

JUNGLE ADVENTURES INC

26205 E COLONIAL DR

Type: ROUTINE INSPECTION

CHRISTMAS, FL 32709

Date: Sep-05-2012

2.40 (b) (2) DIRECT NCI

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Each exhibitor shall establish and maintain programs of adequate veterinary care that include the use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries.

"Arizona" (deer) has 2 small linear areas of hair loss on her nose. In one of these areas a very small red spot exists. There is also a crescent shaped area below her left lower lid that is discolored and appears to have been injured.

These areas might have been caused by the buck that is in the same enclosure. Consult with your veterinarian as to whether the buck shall be separated from the females and treat Arizona accordingly.

Correct by September 6, 2012

3.125 (a) REPEAT

FACILITIES, GENERAL.

The housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

The licensee made some corrections to the front of the deer exhibit, but those corrections did not fully correct the risk of entrapment. There is still a sufficient amount of "give" to the upper panels to pose a risk of entrapment of the deer's heads between the upper panels and the lower gate swing door.

The corrections that have been made does not reduce the risk of entrapment. Additional corrections shall be made so that there is no risk of entrapment for the deer that are contained in this enclosure. The deer must not be able to get their heads between the upper and lower panels.

The licensee also made corrections to the sugar glider exhibit, but did not remove all of the deteriorated, rusty wire mesh. The wire mesh located on the upper portion of the rear of the exhibit was not replaced and has some broken wire which can potentially injure these animals. The entire wire mesh along the upper portion of the front and rear of the exhibit had advanced deteriorating rust and is no longer

Prepared By:

ROBERT BRANDES, D V M

ROBERT BRANDES, D V M USDA, APHIS, Animal Care

Date:

Title:

VETERINARY MEDICAL OFFICER Inspector 2002

Sep-05-2012

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Sep-05-2012



Inspection Report

structurally sound.

This wire mesh shall be repaired or replaced.

This is a focused inspection of only the animals & areas that were identified as non compliant on the last inspection.

The exit interview was conducted with the Animal Care Supervisor.

Prepared By:

ROBERT BRANDES, D V M

Title:

ROBERT BRANDES, D V M USDA, APHIS, Animal Care
VETERINARY MEDICAL OFFICER Inspector 2002

Date:

Sep-05-2012

Received By:

(b)(6), (b)(7)(c)

Date:

Sep-05-2012