



## Inspection Report

Jungle Adventures Inc  
26205 E Colonial Dr  
Christmas, FL 32709

Customer ID: **3094**  
Certificate: **58-C-1048**  
Site: 001  
JUNGLE ADVENTURES INC

Type: ROUTINE INSPECTION  
Date: Dec-09-2014

**2.40** (b) (2)

### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A skunk "Spike" is currently being given Metronidazole which started on 11/26/14. Another skunk "Ginny" was also being given Metronidazole from 8/24/14-9/1/14. The licensee was aware that this medication expired in 10/2009 but administered it anyway,

There was also a bottle of Metacam that expired in 11/13, which was reportedly not used since that time.

Expired medications are considered adulterated and not a appropriate method to treat diseases. Expired medications are not effective in treating diseases and in some cases can become toxic. All expired medications shall not be used on regulated animals and removed from areas where medications are stored for those regulated mammals to prevent accidental administrations.

Correct immediately.

**2.131** (d) (4)

### HANDLING OF ANIMALS.

During the inspection this inspector observed that the public was giving the bears soda (Mountain Dew) through the feeding tube.

If public feeding is permitted, all food & liquids must be provided by the facility. Additionally, soda pop is not an appropriate liquid to feed to animals.

When public feeding is permitted, all food and liquids must be provided by the facility and shall be appropriate to the type of animal and its nutritional needs and diet.

Correct immediately.

Prepared By:

ROBERT BRANDES, D V M

ROBERT BRANDES, D V M USDA, APHIS, Animal Care

Date:

Title:

VETERINARY MEDICAL OFFICER Inspector 2002

Dec-09-2014

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Dec-09-2014



## Inspection Report

---

3.125 (a)

### FACILITIES, GENERAL.

There is a sheet of plywood which divides the lynx enclosure into 2 sections. A small portion located on the upper surface, adjacent to the pass through, has deteriorated leaving a hole and splinters. The rest of this plywood appears wet/damp and may no longer be structurally sound.

The splinters pose a risk of injury if this animal shall have contact with it. All enclosures shall be structurally sound and maintained in good repair to protect the animals from injury.

Correct by December 17, 2014

The exit interview was conducted with the Animal Care & Medical Manager.

---

Prepared By: ROBERT BRANDES, D V M  
ROBERT BRANDES, D V M      USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER Inspector 2002

Date:  
Dec-09-2014

Received By: (b)(6), (b)(7)(c)  
Title:

Date:  
Dec-09-2014