

70131020400406 in

MTYGART inso id

Inspection Report

ARBUCKLE ADVENTURES, L L C

Customer ID: 324698

Certificate: 73-C-0190

Site: 002

ARBUCKLE ADVENTURES, L L C

ARBUCKLE WILDERNESS PARK

6132 Kay Starr Trail

Type: ROUTINE INSPECTION

Date: Feb-27-2013

DAVIS, OK 73030

2.5 (d) REPEAT

DURATION OF LICENSE AND TERMINATION OF LICENSE.

- (d) Licenses are issued to specific persons for specific premises and do not transfer upon change of ownership, nor are they valid at a different location.
- site 002 is not valid until everything is in compliance at that site. The site is currently open for business and is conducting covered activity.

2.131 (a) REPEAT

HANDLING OF ANIMALS.

- (a) All licensees who maintain wild or exotic animals must demonstrate adequate experience and knowledge of the species they maintain.
- The form for "Handling Dangerous Animals" has not been completed and sent to the regional office. The
 qualifications of the employees and addressing the other issues listed on the form are of utmost importance.

3.125 (a) REPEAT

FACILITIES, GENERAL.

- (a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.
- -The hyena enclosure with 1 hyena in it has a large hole in the fence line. This hole was formerly used for feeding. Currently it is not being used, but was still open at the time of inspection. The hole itself has multiple loose wires and a piece of loosely attached wire mesh protruding into and around the opening. These are a potential source of injury to the enclosed animal. The feeding hole should be properly covered or sealed, and all loose wires or sharp points removed.
- A shelter near the rhino enclosure had a large wooden panel and a smaller metal panel loose on the ground. These items are serving no purpose, and are a potential source of injury to any animals which

Prepared By:	MICHAEL TYGART, D.V.M	
	MICHAEL TYGART, D.V.M USDA, APHIS, Animal Care	Date:
Title:	VETERINARY MEDICAL OFFICER Inspector 6009	Mar-12-2013
Received By:	(b)(6),(b)(7)(c)	Date:
Title:	Page 1 of 2	Mar-13-2013



Inspection Report

might utilize the shelter. These loose items should be removed and properly stored.

 Just inside the front cattle guard, a section of fence line on the hill is down. This is an ineffective barrier, and is also a potential source of injury. The fence line must be repaired and maintained in good condition.

3.130

WATERING.

- 3.130 All water receptacles shall be kept clean and sanitary.
- The hyena water receptacle had a green discoloration, and appeared to have clumps of green fibrous material attached in multiple sites on the bottom of the container. This is an indication that the water receptacle is not being cleaned as often as necessary. All water receptacles must be kept clean and sanitary.

3.131 (a)

SANITATION.

- (a) Cleaning of enclosures. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. When enclosures are cleaned by hosing or flushing, adequate measures shall be taken to protect the animals confined in such enclosures from being directly sprayed with the stream of water or wetted involuntarily.
- The stalls in the rhino barn had an excessive accumulation of fecal material. Excessive buildup of excreta is a
 potential source of contamination to the enclosed animals. Fecal matter and other waste should be removed as
 necessary to minimize disease hazards and prevent contamination of the enclosed animals.

Inspection and exit interview conducted by Michael Tygart (VMO), David Sabala (SACS) and facility representative.

No regulated activity may be conducted from this site until it has been approved.

 MICHAEL TYGART, D.V.M

 MICHAEL TYGART, D.V.M
 USDA, APHIS, Animal Care
 Date:

 Title:
 VETERINARY MEDICAL OFFICER Inspector 6009
 Mar-12-2013

 Received By:

 (b)(6),(b)(7)(c)
 Date:

 Title:
 Mar-13-2013