



## Inspection Report

STEVE PROVOST

Customer ID: 15284

Certificate: 74-B-0524

Site: 002 STEVE PROVOST

111 SKY J RANCH AVENUE

Type: ROUTINE INSPECTION

Date: Nov-26-2012

HARPER, TX 78631

3.78 (d)

## OUTDOOR HOUSING FACILITIES.

An outdoor housing facility must be enclosed by a fence that is of sufficient height to keep unwanted species out. Fences less than 6 feet high must be approved by the Administrator. The fence must be constructed so that it protects nonhuman primates by restricting unauthorized humans, and animals the size of dogs, skunks, and raccoons from going through it or under it and having contact with the nonhuman primates. It must be of sufficient distance from the outside wall or fence of the primary enclosure to prevent physical contact between animals inside the enclosure and outside the perimeter fence. Such fences less than 3 feet in distance from the primary enclosure must be approved by the Administrator.

There is no perimeter fence surrounding any of the Lemur enclosures. A fence at least 6 feet in height that restricts unauthorized humans and animals from contacting the non human primates is needed around all the Lemur enclosures to protect the animals.

CORRECT BY: 12-27-12

## 3.81

## ENVIRONMENT ENHANCEMENT TO PROMOTE PSYCHOLOGICAL WELL-BEING.

Dealers, exhibitors, and research facilities must develop, document, and follow an appropriate plan for environment enhancement adequate to promote the psychological well-being of nonhuman primates. The plan must be in accordance with the currently accepted professional standards as cited in appropriate professional journals or reference guides, and as directed by the attending veterinarian. The plan must address social grouping as well as environmental enrichment. The physical environment in the primary enclosures must be enriched by providing means of expressing non -injurious species typical activities.

There is no enrichment pain for the Lemurs . The written plan must be approved by the attending veterinarian and made available to APHIS upon request. CORRECT BY: 12-27-12

The Inspection and exit briefing was conducted with owner and Dr. Pannill - USDA